

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **Mega Shine**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use

#### 1.3 Details of the distributor

Interchem Limited  
9th Avenue South,  
Barataria, Trinidad.

Telephone: 1-235-CHEM (2436)

E-mail: sales@interchem.co.tt

Website: www.interchem.co.tt

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

not required

#### 2.3 Other hazards

of no significance

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

Description of the mixture

| Hazardous ingredients acc. to GHS |                     |         |  |       |
|-----------------------------------|---------------------|---------|--|-------|
| Name of substance                 | Identifier          | Wt%     | Classification acc. to GHS   | Notes |
| 2-(2-butoxyethoxy)ethanol         | CAS No<br>112-34-5  | 1 - < 5 | Eye Irrit. 2 / H319  |       |
| 1-butoxypropan-2-ol               | CAS No<br>5131-66-8 | 1 - < 4 | Skin Irrit. 2 / H315<br>Eye Irrit. 2 / H319<br>Flam. Liq. 4 / H227 |       |

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

For full text of abbreviations: see SECTION 16.

*This table, if present, includes all GHS classified ingredients present above their cut-off limits, even if the finished product is not classified as hazardous by GHS.*

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO<sub>2</sub>)

#### 5.2 Special hazards arising from the substance or mixture

##### Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety.

##### For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

not required

#### 6.3 Methods and material for containment and cleaning up

##### Advice on how to contain a spill

Covering of drains

### Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

##### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Control of the effects

Protect against external exposure, such as frost

#### 7.3 Specific end use(s)

See section 16 for a general overview.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |                                   |          |            |           |                          |            |                           |                 |                                |          |              |
|--|-----------------------------------|----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|--------------|
| Country  | Name of agent                     | CAS No   | Identifier | TWA [ppm] | TWA [mg/m <sup>3</sup> ] | STEL [ppm] | STEL [mg/m <sup>3</sup> ] | Ceiling-C [ppm] | Ceiling-C [mg/m <sup>3</sup> ] | Notation | Source       |
| US   | diethylene glycol monobutyl ether | 112-34-5 | TLV®       | 10        |                          |            |                           |                 |                                | iv       | AC-GIH® 2019 |

##### Notation

Ceiling-C

iv

STEL

TWA

ceiling value is a limit value above which exposure should not occur

inhalable fraction and vapor

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

| Relevant DNELs of components of the mixture |           |           |                       |                                    |                   |                            |
|---|-----------|-----------|-----------------------|------------------------------------|-------------------|----------------------------|
| Name of substance                           | CAS No    | End-point | Threshold level       | Protection goal, route of exposure | Used in           | Exposure time              |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | DNEL      | 68 mg/m <sup>3</sup>  | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | DNEL      | 68 mg/m <sup>3</sup>  | human, inhalatory                  | worker (industry) | chronic - local effects    |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | DNEL      | 101 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | acute - local effects      |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | DNEL      | 83 mg/kg bw/day       | human, dermal                      | worker (industry) | chronic - systemic effects |
| 1-butoxypropan-2-ol                         | 5131-66-8 | DNEL      | 147 mg/m <sup>3</sup> | human, inhalatory                  | worker (industry) | chronic - systemic effects |
| 1-butoxypropan-2-ol                         | 5131-66-8 | DNEL      | 52 mg/kg bw/day       | human, dermal                      | worker (industry) | chronic - systemic effects |

| Relevant PNECs of components of the mixture |           |           |                 |                       |                              |                              |
|---|-----------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance                           | CAS No    | End-point | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 200 mg/l        | microorganisms        | sewage treatment plant (STP) | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 4 mg/kg         | benthic organisms     | sediment                     | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 56 mg/kg        | (top) predators       | water                        | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 3.9 mg/l        | aquatic organisms     | water                        | intermittent release         |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 0.4 mg/kg       | pelagic organisms     | sediment                     | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 1.1 mg/l        | aquatic organisms     | freshwater                   | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 0.11 mg/l       | aquatic organisms     | marine water                 | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 200 mg/l        | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 4.4 mg/kg       | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 0.44 mg/kg      | aquatic organisms     | marine sediment              | short-term (single instance) |
| 2-(2-butoxyethoxy)ethanol                   | 112-34-5  | PNEC      | 0.32 mg/kg      | terrestrial organisms | soil                         | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 10 mg/l         | microorganisms        | sewage treatment plant (STP) | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 2.4 mg/kg       | benthic organisms     | sediment                     | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 5.3 mg/l        | aquatic organisms     | water                        | intermittent release         |

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

| Relevant PNECs of components of the mixture |           |           |                 |                       |                              |                              |
|---|-----------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance                           | CAS No    | End-point | Threshold level | Organism              | Environmental compartment    | Exposure time                |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 0.24 mg/kg      | pelagic organisms     | sediment                     | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 0.53 mg/l       | aquatic organisms     | freshwater                   | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 0.052 mg/l      | aquatic organisms     | marine water                 | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 10 mg/l         | aquatic organisms     | sewage treatment plant (STP) | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 2.4 mg/kg       | aquatic organisms     | freshwater sediment          | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 0.24 mg/kg      | aquatic organisms     | marine sediment              | short-term (single instance) |
| 1-butoxypropan-2-ol                         | 5131-66-8 | PNEC      | 0.16 mg/kg      | terrestrial organisms | soil                         | short-term (single instance) |

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                |                       |
|----------------|-----------------------|
| Physical state | liquid                |
| Color          | coral                 |
| Particle       | not relevant (liquid) |

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

|      |        |
|------|--------|
| Odor | fruity |
|------|--------|

**Other safety parameters**

|   |                                   |
|---|-----------------------------------|
| pH (value)                              | 4 – 5 (25 °C)                     |
| Melting point/freezing point            | not determined                    |
| Initial boiling point and boiling range | 100 °C                            |
| Flash point                             | >100 °C at 1 atm                  |
| Evaporation rate                        | Not determined                    |
| Flammability (solid, gas)               | not relevant, (fluid)             |
| Vapor pressure                          | 32 hPa at 25 °C                   |
| Density                                 | 0.99 g/ml                         |
| Vapor density                           | this information is not available |

## Solubility(ies)

|                    |                            |
|--------------------|----------------------------|
| - Water solubility | miscible in any proportion |
|--------------------|----------------------------|

## Partition coefficient

|                             |                                   |
|-----------------------------|-----------------------------------|
| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|-----------------------------------|

|                           |  |
|---------------------------|--|
| Auto-ignition temperature | 210 °C (auto-ignition temperature (liquids and gases)) |
| Viscosity                 | not determined   |
| Explosive properties      | none   |
| Oxidizing properties      | none   |

**9.2 Other information**

|  |   |
|--|---|
| Temperature class (USA, acc. to NEC 500) | T3 (maximum permissible surface temperature on the equipment: 200 °C) |
|--|---|

### SECTION 10: Stability and reactivity

**10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

**10.2 Chemical stability**

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

This mixture does not meet the criteria for classification.

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

### SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

|  |   |
|--|---|
| <b>14.1 UN number</b>  | not subject to transport regulations                                  |
| <b>14.2 UN proper shipping name</b>  | not relevant  |
| <b>14.3 Transport hazard class(es)</b>   | not assigned  |
| <b>14.4 Packing group</b>  | not assigned  |
| <b>14.5 Environmental hazards</b>  | non-environmentally hazardous acc. to the dangerous goods regulations |
| <b>14.6 Special precautions for user</b>                                       | There is no additional information.                                   |
| <b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> | The cargo is not intended to be carried in bulk.                      |

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

### Information for each of the UN Model Regulations

#### Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

#### International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

#### International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### National regulations (United States)

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

##### Clean Air Act

none of the ingredients are listed

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance                      | CAS No                 | Functionality    | Authoritative Lists    |
|--|------------------------|------------------|------------------------|
| water                                  | 7732-18-5              | solvent          |                        |
| silicone emulsion NJTS# 946137-01      |                        | shine agent      |                        |
| amino-alkoxy dimethylsiloxane          | 71750-80-6             | surface modifier |                        |
| 2-(2-butoxyethoxy)ethanol              |                        | co-solvent       | CA TACs                |
| 1-butoxypropan-2-ol                    | 5131-66-8              | co-solvent       |                        |
| benzyl benzoate                        | 120-51-4               | fragrance        | EU Fragrance Allergens |
| 3,7-dimethyloctan-3-ol                 | 78-69-3                | fragrance        |                        |
| citral                                 | 5392-40-5              | fragrance        |                        |
| alpha terpineol                        | 98-55-5                | fragrance        |                        |
| Acid Red 87                            | 17372-87-1<br>548-26-5 | colorant         |                        |
| 5-chloro-2-methyl-3-isothiazolin-3-one | 26172-55-4             | preservative     |                        |

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

**- Toxic or Hazardous Substance List (MA-TURA)**

| Name of substance         | CAS No | DEP CODE | PBT / HHS / LHS | PBT / HHS Threshold | De Minimis Concentration Threshold |
|---------------------------|--------|----------|-----------------|---------------------|------------------------------------|
| 2-(2-butoxyethoxy)ethanol |        | 1022     |                 |                     | 1.0 %                              |

**- Hazardous Substance List (NJ-RTK)**

| Name of substance         | CAS No | Remarks | Classifications |
|---------------------------|--------|---------|-----------------|
| 2-(2-butoxyethoxy)ethanol |        |         |                 |

**- Hazardous Substance List (Chapter 323) (PA-RTK)**

| Name acc. to inventory | CAS No | Classification |
|------------------------|--------|----------------|
| GLYCOL ETHERS          |        | E              |

**Legend**

E Environmental hazard

**- Hazardous Substance List (RI-RTK)**

none of the ingredients are listed

**California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987**

none of the ingredients are listed

**VOC content**

- Regulated Volatile Organic Compounds (VOC-EPA) 1.8 %
- Regulated Volatile Organic Compounds (VOC-Cal ARB) 1.8 %

**Industry or sector specific available guidance(s)**
**NPCA-HMIS® III**

Hazardous Materials Identification System. American Coatings Association.

| Category            | Rating | Description  |
|---------------------|--------|--|
| Chronic             | /      | none   |
| Health              | 0      | no significant risk to health  |
| Flammability        | 1      | material that must be preheated before ignition can occur  |
| Physical hazard     | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive |
| Personal protection | -      |  |

**NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

| Category       | Degree of hazard | Description   |
|----------------|------------------|---|
| Flammability   | 1                | material that must be preheated before ignition can occur   |
| Health         | 0                | material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material |
| Instability    | 0                | material that is normally stable, even under fire conditions  |
| Special hazard |                  |   |

### National inventories

| Country | Inventory  | Status                         |
|---------|------------|--------------------------------|
| CA      | DSL        | all ingredients are listed     |
| EU      | REACH Reg. | not all ingredients are listed |
| US      | TSCA       | all ingredients are listed     |

#### Legend

DSL Domestic Substances List (DSL)  
 REACH Reg. REACH registered substances  
 TSCA Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information, including date of preparation or last revision

### Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").  
 Restructuring: section 9, section 14

### Abbreviations and acronyms

| Abbr.         | Descriptions of used abbreviations   |
|---------------|--|
| 49 CFR US DOT | 49 CFR U.S. Department of Transportation   |
| ACGIH® 2019   | From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a> |
| Cal ARB       | California Air Resources Board   |
| CAS           | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)   |
| Ceiling-C     | Ceiling value  |
| DEP CODE      | Department of Environmental Protection Code  |
| DGR           | Dangerous Goods Regulations (see IATA/DGR)   |
| DNEL          | Derived No-Effect Level  |
| EPA           | Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment   |
| Eye Dam.      | Seriously damaging to the eye  |
| Eye Irrit.    | Irritant to the eye  |
| Flam. Liq.    | Flammable liquid   |

## Mega Shine

Version number: GHS 1.0

Date of compilation: 01-04-2023

| Abbr.          | Descriptions of used abbreviations  |
|----------------|---|
| GHS            | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations     |
| HHS            | Higher hazard substance   |
| IATA           | International Air Transport Association   |
| IATA/DGR       | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO           | International Civil Aviation Organization   |
| IMDG           | International Maritime Dangerous Goods Code   |
| LHS            | Lower hazard substance  |
| MARPOL         | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")             |
| NPCA-HMIS® III | National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition |
| OSHA           | Occupational Safety and Health Administration (United States)   |
| PBT            | Persistent, Bioaccumulative and Toxic   |
| PNEC           | Predicted No-Effect Concentration   |
| ppm            | Parts per million   |
| Skin Corr.     | Corrosive to skin   |
| Skin Irrit.    | Irritant to skin  |
| STEL           | Short-term exposure limit   |
| TLV®           | Threshold Limit Values  |
| TWA            | Time-weighted average   |
| VOC            | Volatile Organic Compounds  |
| vPvB           | Very Persistent and very Bioaccumulative  |

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                           |
|------|--------------------------------|
| H227 | Combustible liquid.            |
| H315 | Causes skin irritation.        |
| H319 | Causes serious eye irritation. |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.