

### GLASS CLEANER - RTU

Version number: GHS 1.0 / Date of compilation: 04-11-2024

#### Section 1: IDENTIFICATION

<b>Product Name:</b>	Interchem Glass Cleaner
<b>Additional Names:</b>	Interchem Glass Cleaner [Ready-To-Use]
<b>Manufacturer's Product code</b>	IGC32OZ
<b>Recommended Use:</b>	Use on glass, mirrors, windows and reflective surfaces
<b>Restrictions on Use:</b>	Do not use on other surfaces.
<b>Company:</b>	Interchem Limited
<b>Address:</b>	9th Avenue South, Barataria, Trinidad and Tobago.
<b>Telephone:</b>	1.868.235.CHEM (2436)
<b>E-mail:</b>	<a href="mailto:sales@interchem.co.tt">sales@interchem.co.tt</a>
<b>Website:</b>	<a href="http://www.interchem.co.tt">www.interchem.co.tt</a>

#### Section 2: HAZARDS IDENTIFICATION

##### POTENTIAL HEALTH EFFECTS

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard'  
Symbols



<b>GHS Classification</b>	Flammable Liquid Category 2 Serious Eye Damage/Eye Irritation Category 2A
<b>Signal word</b>	Danger
<b>Hazard Statements</b>	Highly flammable liquid and vapour. Causes serious eye irritation.

##### Precautionary Statements

<b>Prevention</b>	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. P264 - Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
-------------------	---

<b>Response</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. P370+P378 - In case of fire: Use proper media to extinguish.
<b>Storage</b>	Keep container tightly closed. Store in a well-ventilated place. Keep cool.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS#	Percent
Water	7732-18-5	80 – 100
Proprietary hydrocarbon blend	Mixture	1-20

#### HMIS® III\* HAZARDOUS WARNINGS:

Health: 2                      Flammability: 3                      Physical: 0                      Personal Protective Equipment: See Section 8

\* See [www.paint.org/hmis](http://www.paint.org/hmis) or call the ACA at 1 (202) 462-6272 for more information on this current rating system.

### Section 4: FIRST-AID MEASURES

<b>Eyes</b>	Immediately flush eyes gently with plenty of water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is visual difficulty, seek medical attention.
<b>Skin Contact</b>	In case of contact, immediately wash contaminated area with plenty of water for at least 15 minutes. Seek medical attention if symptoms persist. Wash clothing before reuse.
<b>Ingestion</b>	Contact a physician, medical facility, or poison control center immediately.
<b>Inhalation</b>	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Continue your efforts until help arrives or the victim starts to breathe on his own. Do not leave victim alone. Seek immediate medical attention. Keep the victim warm and quiet.

#### NOTES TO PHYSICIAN

No additional first aid information available. Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin; lung (for example, asthma-like conditions); liver; kidney; blood forming system.

### Section 5: FIRE-FIGHTING MEASURES

<b>Fire and/or Explosion Hazards:</b>	Product is water based material, containing minor amounts of flammable ingredients. This product contains a component(s) that is considered a flammable liquid, which has vapors that are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot lights, or other flames and ignition sources at locations distant from the material's handling point.
<b>Fire Fighting Instructions:</b>	Use alcohol foam, water fog, dry chemical, or CO2. Fire fighters should wear normal protective equipment and positive-pressure self-contained breathing apparatus. Although this product has a flash point below 200 F, it is an aqueous solution and does not sustain combustion. Water is generally not effective and may spread fire; however, water spray may be used from a safe distance to cool closed containers and protect surrounding area.

**Section 6: ACCIDENTAL RELEASE MEASURES**

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED**

Remove all sources of ignition. Wear appropriate personal protective equipment (PPE). Stop or reduce discharge if it can be done safely. Ventilate contaminated area. Avoid run-off into storm sewers and ditches which may lead to natural waterways. If runoff occurs, notify authorities as required. Clean up with absorbent material. Place absorbent materials into container and close it tightly. Dispose of container properly.

**Section 7: HANDLING AND STORAGE**

**Handling:** Do not use near ignition sources. If ventilation is not sufficient, wear proper respiratory equipment. Avoid prolonged or repeated contact with skin. Avoid prolonged or repeated breathing of vapor. Do not store containers in excessive heat or direct sunlight. Protect container against physical damage. Use with adequate ventilation. Do not use near ignition sources. Protect container against physical damage.

**Storage:** Keep container tightly closed when not in use. Store in a cool, dry, well-ventilated area away from all sources of ignition. Empty container may contain residues which are hazardous.

**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** Ventilation should be adequate to prevent exposures above the limits indicated below in this section of the SOS (from known, suspected or apparent adverse effects). Local exhaust should be used in areas where exposure limits may be exceeded.

**Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid or airborne material. Have an eye wash station available.

**Skin Protection:** The use of chemically resistant gloves is recommended if there is any possibility of prolonged or repeated liquid contact with skin.

**Respiratory Protection:** A supplied air respirator should be used if ventilation is not sufficient to maintain exposure limits. Use NIOSH approved respirator where there is likelihood of inhalation of the product mist, spray or aerosol.

COMPONENT	CAS#	ACGIH TLV	OSHA PEL	OTHER
Water	7732-18-5	Not established	Not established	Not established
Proprietary hydrocarbon blend	Mixture	20 ppm	50 ppm	Not established

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Bulk trigger bottle	Lower Flammability Limit (%):	2.1
Appearance:	Clear Colorless	Upper Flammability Limit(%):	13
Odor:	Mild Alcohol	Vapor Pressure (PSIG@ 70°F):	Not determined
Odor Threshold:	Sharp	Vapor Density [air = 1]:	>1.0
pH:	Not applicable	Relative Density (H2O= 1):	0.98
Melting/Freezing Point (°F):	No data available	Solubility in Water:	Complete; 100%
Boiling Point (°F):	No data available	Partial Coefficient: n-octanol/water:	No data available
Flash Point (°F PMCC):	66.2	Autoignition Temperature (°F):	869
Evaporation Rate:	Not determined	Decomposition Temperature (°F):	No data available
Flammability (solid, gas):	No data available	Viscosity, dynamic (cSt):	No data available
Percent VOCs (%):	1-20		

## Section 10: STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Stable.
<b>Conditions to Avoid:</b>	Avoid contact with: Ignition sources such as open flames, sparks, static discharges or glowing metal surfaces. Acids. Strong oxidizing agents. Acetaldehyde. Chlorine. Ethylene oxide. Isocyanates. Strong alkalis.
<b>Decomposition Products:</b>	Burning can produce the following combustion products: Carbon dioxide and carbon monoxide.

## Section 11: TOXICOLOGICAL INFORMATION

<b>Inhalation Toxicity:</b>	High concentrations may cause central nervous system depression resulting in headaches, dizziness and nausea; continued inhalation may result in unconsciousness and/or death.	
<b>Reproductive &amp; Developmental Toxicity:</b>	No data available.	
<b>Ingredient</b>	<b>CAS#</b>	<b>Toxicological Data</b>
Proprietary hydrocarbon blend	Mixture	Dermal LOSO Mouse > 3500 mg/kg Oral LOSO Rat = 2000 mg/kg Inhalation LC50 (6h) Rat > 3 mg/L

## Section 12: ECOLOGICAL INFORMATION

<b>Ecological Toxicity:</b>	No data available	
<b>Mobility:</b>	No data available This material (or one of its components), dissolves in water. If it enters the soil, it will be highly mobile and may contaminate ground water.	
<b>Degradability:</b>	No data available	
<b>Ingredient</b>	<b>CAS#</b>	<b>Toxicological Data</b>
Proprietary hydrocarbon blend	Mixture	Aquatic LCS0 (96h) MINNOW= 72860 mg/L Aquatic LC50 (48h) Daphnia > 100 mg/L Aquatic LC50 (96h) Algae 6500 - 13000 mg/L

## Section 13: DISPOSAL INFORMATION

<b>Disposal:</b>	Dispose according to Federal, State and local regulations.
------------------	--

## Section 14: TRANSPORT INFORMATION

Agency	UN Number	Proper Shipping name	Hazard Class	Packing Group
DOT	UN1993	Flammable Liquids, n.o.s. (contains ISOPROPANOL)*	3	II
IATA	UN1993	Flammable Liquids, n.o.s. (contains ISOPROPANOL)*	3	II
IMDG	UN1993	Flammable Liquids, n.o.s. (contains ISOPROPANOL)*	3	II

\* "Limited Quantities" may be applicable for this transportation mode.

**Section 15: REGULATORY INFORMATION**

Warning: This product contains the following chemicals that are subject to reporting requirements for the following regulatory bodies listed below:

<b>COMPONENT</b>	<b>CAS #</b>	<b>% BY WEIGHT</b>	<b>Regulatory Body</b>
No components listed in this section.			SARA Section 313

Warning: This product may contain chemicals known to the State of California to cause cancer. See list below.

No components listed in this section.	Prop65 Cancer
---------------------------------------	---------------

Warning: This product may contain chemicals known to the State of California to cause birth defects. See list below.

No components listed in this section.	Prop65 Birth Defects
---------------------------------------	----------------------

All components of this product are listed on the TSCA inventory.

**Section 16: OTHER INFORMATION**

This information contained in this SDS is believed to be accurate as of the version date but is not warranted to be. Since the use of this information and the conditions of use of this product are not within the control of Interchem Limited, it is the user's obligation to determine the conditions of safe use.